

Table of Contents

1 Countries-countryCode-provinces:GET.....	1
2 GET /countries/{countryCode}/provinces.....	2
2.1 Contents.....	2
2.2 Request.....	2
2.3 Response.....	2
2.4 See also.....	3
3 Countries:GET.....	4
4 GET /countries.....	5
4.1 Contents.....	5
4.2 Request.....	5
4.3 Response.....	5
4.4 See also.....	6
5 Faxoveremail-zipCodes-zipCode-areaCodes:GET.....	7
6 GET /faxOverEmail/zipCodes/{zipCode}/areaCodes.....	8
6.1 Contents.....	8
6.2 Request.....	8
6.3 Response.....	8
6.4 See also.....	8
7 Heartbeat:GET.....	9
8 GET /heartbeat.....	10
8.1 Contents.....	10
8.2 Request.....	10
8.3 Response.....	10
8.4 See also.....	10
9 Miscellaneous.....	11
10 Miscellaneous APIs.....	12
10.1 Contents.....	12
10.2 Geographical Locations.....	12
10.3 Supported Salutations.....	12
10.4 Supported User Roles.....	12
10.5 FaxOverEmail supported Area Codes by Zip Code.....	12
10.6 Email Validation.....	12
10.7 Heartbeat.....	12
10.8 WebMail Plan Names.....	12
10.9 See also.....	12
11 Roles:GET.....	13
12 GET /roles.....	14
12.1 Contents.....	14
12.2 Request.....	14
12.3 Response.....	14
12.4 See Also.....	14
13 Salutations:GET.....	16
14 GET /salutations.....	17
14.1 Contents.....	17
14.2 Request.....	17
14.3 Response.....	17
14.4 See Also.....	17
15 Webmailnames:GET.....	19
16 GET /webmailnames.....	20
16.1 Contents.....	20
16.2 Request.....	20
16.3 Response.....	20
16.4 See also.....	20

1 Countries-countryCode-provinces:GET

2 GET /countries/{countryCode}/provinces

Get list of provinces for a given country.

2.1 Contents

- 1 GET /countries/{countryCode}/provinces
 - ◆ 1.1 Request
 - ◇ 1.1.1 Request Parameters
 - ◇ 1.1.2 URI Parameters
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - ◇ 1.2.3 Parameters
 - ◆ 1.3 See also

2.2 Request

GET /countries/{countryCode}/provinces

2.2.1 Request Parameters

countryCode - *string*
The **3166-1 alpha-2** country code (e.g. *US*, *CA*, *UK*, *DE*, *AU*).

2.2.2 URI Parameters

None.

2.3 Response

2.3.1 Status Code

200 OK
Success

404 Not Found
Returned if *countryCode* is not found or provinces are not defined for the given country.

2.3.2 Response Body

```
{
  "list": [
    {
      "code": "AL",
      "name": "Alabama"
    },
    {
      "code": "AK",
      "name": "Alaska"
    },
    ...
    {
      "code": "WI",
      "name": "Wisconsin"
    },
    {
      "code": "WY",
      "name": "Wyoming"
    }
  ],
  "links": [
    "self": { "href": "https://api.hostway.com/countries/US/provinces", "rel": "self" }
  ]
}
```

2.3.3 Parameters

code - *string*
The state/province code (e.g. *NJ*, *IL*, *DC*, *CA*, *FL*).

name - *string*
The full state/province name.

links - *list*
Hypermedia for this resource. Links to self.

2.4 See also

- [Miscellaneous APIs](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

3 Countries:GET

4 GET /countries

Retrieves a list of all supported countries.

4.1 Contents

- 1 GET /countries
 - ◆ 1.1 Request
 - ◇ 1.1.1 Request Parameters
 - ◇ 1.1.2 URI Parameters
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 See also

4.2 Request

GET /countries

4.2.1 Request Parameters

None.

4.2.2 URI Parameters

None.

4.3 Response

Returns a dictionary containing list of countries with 3166-1 alpha-2 country codes and a link to obtain the provinces for each country.

4.3.1 Status Code

200 OK
Success

4.3.2 Response Body

```
{
  "list": [
    {
      "code": "US",
      "name": "United States of America",
      "provinces": "https://api.hostway.com/countries/US/provinces"
    },
    {
      "code": "BG",
      "name": "Bulgaria",
      "provinces": "https://api.hostway.com/countries/BG/provinces"
    }
  ],
  "links": [
    { "rel": "self", "href": "https://api.hostway.com/countries" }
  ]
}
```

4.3.2.1 Parameters

list - *list*
List of countries with 3166-1 alpha-2 code and link to corresponding provinces list. Each element of the list has the following attributes:

code - *string*
The 3166-1 alpha-2 code of the country.

name - *string*
A descriptive name (in English) for the country.

provinces - *URI*
A URI to the list of provinces for the given country.

links - *list*
Hypermedia for this resource. Link to self will preserve filtering, sorting and pagination set by the request. Links to the first, last, previous and next pages will also be included if applicable.

4.4 See also

- [Miscellaneous APIs](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

5 Faxoveremail-zipCodes-zipCode-areaCodes:GET

6 GET /faxOverEmail/zipCodes/{zipCode}/areaCodes

Get list of supported FOE area codes for a given zip code.

6.1 Contents

- 1 GET /faxOverEmail/zipCodes/{zipCode}/areaCodes
 - ◆ 1.1 Request
 - ◇ 1.1.1 Request Parameters
 - ◇ 1.1.2 URI Parameters
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - ◇ 1.2.3 Parameters
 - ◆ 1.3 See also

6.2 Request

GET /faxOverEmail/zipCodes/{zipCode}/areaCodes

6.2.1 Request Parameters

zipCode - *string*

US standard **ZIP code** - both **ZIP code 5** and **ZIP code 5 plus 4** formats are supported (e.g. *98001*, *98001-9000*).

6.2.2 URI Parameters

None.

6.3 Response

6.3.1 Status Code

200 OK
Success

304 Not Modified
The list of area codes hasn't changed since the last request; the client should use its locally cached copy instead.

6.3.2 Response Body

```
{
  "list": [
    "{areaCode}",
    ...
  ],
  "links": [
    "self": { "href": "https://api.hostway.com/faxOverEmail/zipCodes/{zipCode}/areaCodes", "rel": "self" }
  ]
}
```

6.3.3 Parameters

areaCode - *string*

Standard 3 digit US **area code** (e.g. *312*, *412*).

links - *list*

Hypermedia for this resource. Links to self.

6.4 See also

- [Miscellaneous APIs](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

7 Heartbeat:GET

8 GET /heartbeat

8.1 Contents

- 1 GET /heartbeat
 - ◆ 1.1 Request
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Codes
 - ◆ 1.3 See also

8.2 Request

GET /heartbeat

8.3 Response

8.3.1 Status Codes

200 OK
Success

500 Internal Server Error
Internal error occurred.

8.4 See also

- [Miscellaneous APIs](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

9 Miscellaneous

10 Miscellaneous APIs

10.1 Contents

- 1 Miscellaneous APIs
 - ◆ 1.1 Geographical Locations
 - ◆ 1.2 Supported Salutations
 - ◆ 1.3 Supported User Roles
 - ◆ 1.4 FaxOverEmail supported Area Codes by Zip Code
 - ◆ 1.5 Email Validation
 - ◆ 1.6 Heartbeat
 - ◆ 1.7 WebMail Plan Names
 - ◆ 1.8 See also

[download this selection of articles as a PDF book](#)

10.2 Geographical Locations

- [GET /countries](#) - Returns list of all supported countries
- [GET /countries/{countryCode}/provinces](#) - Returns list of supported provinces or

10.3 Supported Salutations

- [GET /salutations](#) - Returns list of supported salutations

10.4 Supported User Roles

- [GET /roles](#) - Returns list of supported user roles

10.5 FaxOverEmail supported Area Codes by Zip Code

- [GET /faxOverEmail/zipCodes/{zipCode}/areaCodes](#) - Returns list of area codes by a given zip code that FOE supports

10.6 Email Validation

- [POST /validations/email](#) - Validates a registered email

10.7 Heartbeat

- [GET /heartbeat](#) - Get heartbeat

10.8 WebMail Plan Names

- [GET /webmailnames](#) - Get WebMail plan names

10.9 See also

- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

11 Roles:GET

12 GET /roles

Returns a list of available roles. Note that this will only include the roles available for users tied to a specific account; Agent-type roles (that have global access or access to an entire franchise) will not appear in this list.

12.1 Contents

- 1 GET /roles
 - ◆ 1.1 Request
 - ◇ 1.1.1 Request Parameters
 - ◇ 1.1.2 URI Parameters
 - ◇ 1.1.3 Request Headers
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 See Also

12.2 Request

GET /roles

12.2.1 Request Parameters

None

12.2.2 URI Parameters

None

12.2.3 Request Headers

None

12.3 Response

12.3.1 Status Code

200 OK

Success

304 Not changed

The list of users hasn't changed since the last request; the client should use its locally cached copy instead.

401 Unauthorized

The authorization header contained an invalid value

12.3.2 Response Body

```
{
  "list": [
    "sitecontrol_account_owner",
    "sitecontrol_technical_admin",
    ...
  ],
  "links": [
    { "href": "https://api.hostway.com/roles", "rel": "self" }
  ]
}
```

12.3.2.1 Parameters

None

12.4 See Also

- [Account](#)
- [GET /accounts/{accountId}/users/{userName}/roles](#)
- [PUT /accounts/{accountId}/users/{userName}/roles](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

13 Salutations:GET

14 GET /salutations

Returns a list of supported salutations

14.1 Contents

- 1 GET /salutations
 - ◆ 1.1 Request
 - ◇ 1.1.1 Request Parameters
 - ◇ 1.1.2 URI Parameters
 - ◇ 1.1.3 Request Headers
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 See Also

14.2 Request

GET /salutations

14.2.1 Request Parameters

None

14.2.2 URI Parameters

None

14.2.3 Request Headers

None

14.3 Response

14.3.1 Status Code

200 OK

Success

304 Not changed

The list of users hasn't changed since the last request; the client should use its locally cached copy instead.

401 Unauthorized

The authorization header contained an invalid value

14.3.2 Response Body

```
{
  "list": [
    "Mr.",
    "Mrs.",
    ...
  ],
  "links": [
    { "href": "https://api.hostway.com/salutations", "rel": "self" }
  ]
}
```

14.3.2.1 Parameters

None

14.4 See Also

- Common Features
- GET /accounts/{accountId}/contacts
- PUT /orders/{orderId}/account/contactInfo/{contactType}
- GET /orders/{orderId}/account/contactInfo/{contactType}

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)

15 Webmailnames:GET

16 GET /webmailnames

Retrieves WebMail plan names mapping.

16.1 Contents

- 1 GET /webmailnames
 - ◆ 1.1 Request
 - ◇ 1.1.1 Request Parameters
 - ◇ 1.1.2 URI Parameters
 - ◆ 1.2 Response
 - ◇ 1.2.1 Status Code
 - ◇ 1.2.2 Response Body
 - 1.2.2.1 Parameters
 - ◆ 1.3 See also

16.2 Request

GET /webmailnames

16.2.1 Request Parameters

None.

16.2.2 URI Parameters

None.

16.3 Response

Returns a dictionary containing the full list of available OpenXchange types by text key and WebMail plan names.

16.3.1 Status Code

200 OK
Success

16.3.2 Response Body

```
{
  "webmailNames": {
    "activesync": "SMX Sync Advanced",
    "premium": "SMA Collaborate Premium",
    "standard": "SMX Mail Basic"
  },
  "links": [
    {
      "href": "https://api.hostway.com/webmailnames/",
      "rel": "self"
    }
  ]
}
```

16.3.2.1 Parameters

webmailNames - *dictionary*
Dictionary containing WebMail plan names mapping

links - *list*
[Hypermedia](#) for this resource.

16.4 See also

- [Miscellaneous APIs](#)
- [Common Features](#)

Please enable JavaScript to view the [comments powered by Disqus](#). [blog comments powered by Disqus](#)